ELSEVIER

Chemical Physics 222 (1997) 331–334

Chemical Physics

Author index to volume 222

Ågren, H., see Plashkevych, O. 222 (1997) 125
Ågren, H., see Yang, L. 222 (1997) 139
Albrecht, A.C., see Stimson, M.J. 222 (1997) 17
Alemán, C. and J. Puiggalí, Free energies of solvation in aqueous and organic solutions for solutes with amide, keto and ester functional groups 222 (1997) 9

Baltzer, P., see Eland, J.H.D. 222 (1997) 229
Bässler, H., see Wolf, U. 222 (1997) 259
Baumgarten, M., see Zhang, J. 222 (1997) 1
Bednarek, G., R.P. Wayne, J. Wildt and E.H. Fink, The yield of $O_2(b\,^1\Sigma_g^+,\ v=0)$ produced by quenching of $O_2(A\,^3\Sigma_u^+,\ v=8)$ by O_2 [Chem. Phys. 185 (1994) 251–261] 222 (1997) 113
Bergeat, A., see Daugey, N. 222 (1997) 87
Bernas, A., C. Ferradini and J.-P. Jay-Gerin, On the electronic structure of liquid water: Facts and reflections 222 (1997) 151
Bessis, D., see Felfli, Z. 222 (1997) 117
Bhattacharya, S., see Roy, J. 222 (1997) 161
Bhattacharyya, S.P., see Roy, J. 222 (1997) 161
Borsenberger, P.M., see Wolf, U. 222 (1997) 259

Caubet, P., see Daugey, N. 222 (1997) 87
Chen, Z., see Felfli, Z. 222 (1997) 117
Cukrowski, A.S., see Fort, J. 222 (1997) 59

Dahoo, R., see Lakhlifi, A. 222 (1997) 241
Daugey, N., A. Bergeat, A. Schuck, P. Caubet and G. Dorthe, Vibrational distribution in $CN(X\,^2\Sigma^+)$ from the $N + C_2 \rightarrow CN + C$ reaction 222 (1997) 87
De Alti, G., see Stener, M. 222 (1997) 197
Decleva, P., see Stener, M. 222 (1997) 197
Dorthe, G., see Daugey, N. 222 (1997) 87

Ekern, S., see Lakhlifi, A. 222 (1997) 241
Eland, J.H.D., P. Baltzer, L. Karlsson and B. Wannberg, The photoelectron spectrum of iodine cyanide, ICN 222 (1997) 229

Felfli, Z., Z. Chen, D. Bessis and A.Z. Msezane, Generalized oscillator strengths for the vibronic excitation levels of the $b\,^1\Pi_u$ electronic state of N_2 222 (1997) 117
Ferradini, C., see Bernas, A. 222 (1997) 151

Fink, E.H., see Bednarek, G. 222 (1997) 113
Fort, J. and A.S. Cukrowski, The effect of heat conduction on the rate of chemical reaction in dilute gases 222 (1997) 59
Fronzoni, G., see Stener, M. 222 (1997) 197

German, E.D., see Mertz, E.L. 222 (1997) 115
Ghosh, S., see Roy, J. 222 (1997) 161
Görner, H., Photoprocesses in spiropyrans and their merocyanine isomers: Effects of temperature and viscosity 222 (1997) 315
Gruenbaum, W.T., see Wolf, U. 222 (1997) 259

Halpern, J.B. and Y. Huang, Radiative lifetimes, fluorescence quantum yields and photodissociation of the C_2N_2 ($A\,^1\Sigma_u^-$) and ($B\,^1\Delta_u$) states: evidence for sterically hindered, triplet mediated crossings to the ($X\,^1\Sigma_g^+$) ground state 222 (1997) 71
Hochman-Kowal, S. and A. Persky, Quasiclassical trajectory study of the effect of rotation on reactivity for the reactions $D + H_2$, $H + HD$ and $H + D_2$ on the LSTH and DMBE potential energy surfaces 222 (1997) 29
Huang, Y., see Halpern, J.B. 222 (1997) 71

Jay-Gerin, J.-P., see Bernas, A. 222 (1997) 151

Karlsson, L., see Eland, J.H.D. 222 (1997) 229
Kuznetsov, A.M., see Mertz, E.L. 222 (1997) 115

Lakhlifi, A., R. Dahoo, M. Vala, J. Szczepanski and S. Ekern, A theoretical study of C_3 molecule trapped in rare gas matrices: Influence of bent or linear configuration on the infrared spectra 222 (1997) 241
Le Calvé, N., B. Pasquier and Z. Ouafik, Vibrational study by inelastic neutron scattering, infrared absorption and Raman scattering of potassium, rubidium and cesium dihydrogenarsenate crystals: Comparison with thallium dihydrogenarsenate 222 (1997) 299

Majumder, D., see Roy, J. 222 (1997) 161
Martin, J.-P., see Porshnev, P.I. 222 (1997) 289
Mertz, E.L., E.D. German and A.M. Kuznetsov, Calculation of the solvent reorganization free energy in the dielectric cavity model [Chem. Phys. 215 (1997) 355–370] 222 (1997) 115
Msezane, A.Z., see Felfli, Z. 222 (1997) 117

Niedzielski, J., see Pezler, B. 222 (1997) 215

Okazaki, S., J. Wang, S.A. Schofield and P.G. Wolynes, Quantum twinkling: statistics, coherence and the high order moments of probability amplitudes for systems coupled to quantum baths 222 (1997) 175
Ouafik, Z., see Le Calvé, N. 222 (1997) 299

Pasquier, B., see Le Calvé, N. 222 (1997) 299
Perrin, M.-Y., see Porshnev, P.I. 222 (1997) 289
Persky, A., see Hochman-Kowal, S. 222 (1997) 29
Pettersson, L.G.M., see Plashkevych, O. 222 (1997) 125

Pezler, B., J. Niedzielski, A. Ratkiewicz and J. Turulski, Temperature dependence of the charge–linear dipole capture rate constant 222 (1997) 215
Plashkevych, O., L. Yang, O. Vahtras, H. Ågren and L.G.M. Pettersson, Substituted benzenes as building blocks in near-edge X-ray absorption spectra 222 (1997) 125
Porshnev, P.I., H. Wallaart, M.-Y. Perrin and J.-P. Martin, Modeling of optical pumping experiments in CO: II. Steady conditions 222 (1997) 289
Puhovski, Y.P. and B.M. Rode, Molecular dynamics simulations of Na^+ and Cl^- ions solvation in aqueous mixtures of formamide 222 (1997) 43
Puiggalí, J., see Alemán, C. 222 (1997) 9

Ratkiewicz, A., see Pezler, B. 222 (1997) 215
Rode, B.M., see Puhovski, Y.P. 222 (1997) 43
Rode, B.M., see Texler, N.R. 222 (1997) 281
Roy, J., S. Bhattacharya, S. Ghosh, D. Majumder and S.P. Bhattacharyya, Investigation of anhydrous benz (f) ninhydrin, indanetrione and 5-methoxy indanetrione by electronic absorption and emission spectroscopy and computational chemistry methods 222 (1997) 161

Schofield, S.A., see Okazaki, S. 222 (1997) 175
Schuck, A., see Daugey, N. 222 (1997) 87
Stener, M., G. De Alti, G. Fronzoni and P. Decleva, TDLDA calculations of photoionization cross-section and asymmetry parameter profiles of alkaline-earth atoms 222 (1997) 197
Stimson, M.J., D.J. Ulness and A.C. Albrecht, Frequency resolved interferometric coherent Raman spectroscopy with incoherent light: Raman frequency shifts, dephasing rate constants, and nonresonant hyperpolarizabilities of mixtures of benzene in hexane 222 (1997) 17
Strekalov, M.L., The influence of rotational relaxation on the unresolved Q-branch density-shift induced by vibrational dephasing 222 (1997) 223
Sumi, H., Phonon-progressional V–I characteristics of STM processes mediated by redox molecular adsorbates 222 (1997) 269
Szczepanski, J., see Lakhlifi, A. 222 (1997) 241

Texler, N.R. and B.M. Rode, Monte Carlo simulations of copper chloride solutions at various concentrations including full 3-body correction terms 222 (1997) 281
Tian, C. and C.R. Vidal, Electron impact dissociative ionization and the subsequent ion–molecule reactions in a methane beam 222 (1997) 105
Turulski, J., see Pezler, B. 222 (1997) 215

Ulness, D.J., see Stimson, M.J. 222 (1997) 17

Vahtras, O., see Plashkevych, O. 222 (1997) 125
Vala, M., see Lakhlifi, A. 222 (1997) 241
Vidal, C.R., see Tian, C. 222 (1997) 105

Wallaart, H., see Porshnev, P.I. 222 (1997) 289
Wang, J., see Okazaki, S. 222 (1997) 175
Wannberg, B., see Eland, J.H.D. 222 (1997) 229
Wayne, R.P., see Bednarek, G. 222 (1997) 113
Wildt, J., see Bednarek, G. 222 (1997) 113

Wolf, U., H. Bässler, P.M. Borsenberger and W.T. Gruenbaum, Hole trapping in molecularly doped polymers 222 (1997) 259
Wolynes, P.G., see Okazaki, S. 222 (1997) 175

Yang, L. and H. Ågren, Can substituted benzenes be used as building blocks in core electron shake-up spectra? 222 (1997) 139
Yang, L., see Plashkevych, O. 222 (1997) 125

Zhang, J. and M. Baumgarten, Novel supramolecular architecture of high-spin aggregates? The comparison of ferromagnetic coupling through space and through hydrogen bond 222 (1997) 1

ELSEVIER

Chemical Physics 222 (1997) 335–344

Chemical Physics

Subject index to volume 222

Methods and constructs

Theoretical

Computational methods for electronic structure

Novel supramolecular architecture of high-spin aggregates? The comparison of ferromagnetic coupling through space and through hydrogen bond, J. Zhang and M. Baumgarten 222 (1997) 1

Generalized oscillator strengths for the vibronic excitation levels of the b $^1\Pi_u$ electronic state of N_2, Z. Felfli, Z. Chen, D. Bessis and A.Z. Msezane 222 (1997) 117

Substituted benzenes as building blocks in near-edge X-ray absorption spectra, O. Plashkevych, L. Yang, O. Vahtras, H. Ågren and L.G.M. Pettersson 222 (1997) 125

Can substituted benzenes be used as building blocks in core electron shake-up spectra?, L. Yang and H. Ågren 222 (1997) 139

-perturbative and many body approaches

Substituted benzenes as building blocks in near-edge X-ray absorption spectra, O. Plashkevych, L. Yang, O. Vahtras, H. Ågren and L.G.M. Pettersson 222 (1997) 125

Can substituted benzenes be used as building blocks in core electron shake-up spectra?, L. Yang and H. Ågren 222 (1997) 139

-density functional theory

TDLDA calculations of photoionization cross-section and asymmetry parameter profiles of alkaline-earth atoms, M. Stener, G. De Alti, G. Fronzoni and P. Decleva 222 (1997) 197

Semiempirical methods

Free energies of solvation in aqueous and organic solutions for solutes with amide, keto and ester functional groups, C. Alemán and J. Puiggalí 222 (1997) 9

On the electronic structure of liquid water: Facts and reflections, A. Bernas, C. Ferradini and J.-P. Jay-Gerin 222 (1997) 151

Investigation of anhydrous benz (f) ninhydrin, indanetrione and 5-methoxy indanetrione by electronic absorption and emission spectroscopy and computational chemistry methods, J. Roy, S. Bhattacharya, S. Ghosh, D. Majumder and S.P. Bhattacharyya 222 (1997) 161

Algebraic approaches

Quantum twinkling: statistics, coherence and the high order moments of probability amplitudes for systems coupled to quantum baths, S. Okazaki, J. Wang, S.A. Schofield and P.G. Wolynes 222 (1997) 175

Spin states and magnetic interactions
Novel supramolecular architecture of high-spin aggregates? The comparison of ferromagnetic coupling through space and through hydrogen bond, J. Zhang and M. Baumgarten 222 (1997) 1

Molecular response to external fields (incl. optical susceptibilities, dichroism, hyperpolarizabilities)
Frequency resolved interferometric coherent Raman spectroscopy with incoherent light: Raman frequency shifts, dephasing rate constants, and nonresonant hyperpolarizabilities of mixtures of benzene in hexane, M.J. Stimson, D.J. Ulness and A.C. Albrecht 222 (1997) 17

Collisional and reactive molecular dynamics with non-frictional forces
Quasiclassical trajectory study of the effect of rotation on reactivity for the reactions $D + H_2$, $H + HD$ and $H + D_2$ on the LSTH and DMBE potential energy surfaces, S. Hochman-Kowal and A. Persky 222 (1997) 29
Temperature dependence of the charge–linear dipole capture rate constant, B. Pezler, J. Niedzielski, A. Ratkiewicz and J. Turulski 222 (1997) 215

Intramolecular dynamics
The influence of rotational relaxation on the unresolved Q-branch density-shift induced by vibrational dephasing, M.L. Strekalov 222 (1997) 223
The photoelectron spectrum of iodine cyanide, ICN, J.H.D. Eland, P. Baltzer, L. Karlsson and B. Wannberg 222 (1997) 229

Molecular dynamics of many particle systems and condensed phases
Molecular dynamics simulations of Na^+ and Cl^- ions solvation in aqueous mixtures of formamide, Y.P. Puhovski and B.M. Rode 222 (1997) 43
A theoretical study of C_3 molecule trapped in rare gas matrices: Influence of bent or linear configuration on the infrared spectra, A. Lakhlifi, R. Dahoo, M. Vala, J. Szczepanski and S. Ekern 222 (1997) 241

Quasiparticle dynamics (incl. excitons, polarons)
Hole trapping in molecularly doped polymers, U. Wolf, H. Bässler, P.M. Borsenberger and W.T. Gruenbaum 222 (1997) 259
Phonon-progressional V–I characteristics of STM processes mediated by redox molecular adsorbates, H. Sumi 222 (1997) 269
Phonon-progressional V–I characteristics of STM processes mediated by redox molecular adsorbates, H. Sumi 222 (1997) 269

Statistical computational methods (incl. Monte Carlo)
Quasiclassical trajectory study of the effect of rotation on reactivity for the reactions $D + H_2$, $H + HD$ and $H + D_2$ on the LSTH and DMBE potential energy surfaces, S. Hochman-Kowal and A. Persky 222 (1997) 29
Monte Carlo simulations of copper chloride solutions at various concentrations including full 3-body correction terms, N.R. Texler and B.M. Rode 222 (1997) 281

Dynamics of structures, lattices and macromolecular conformations
Phonon-progressional V–I characteristics of STM processes mediated by redox molecular adsorbates, H. Sumi 222 (1997) 269
Phonon-progressional V–I characteristics of STM processes mediated by redox molecular adsorbates, H. Sumi 222 (1997) 269

Non-equilibrium statistical mechanics
The effect of heat conduction on the rate of chemical reaction in dilute gases, J. Fort and A.S. Cukrowski 222 (1997) 59

Non-equilibrium thermodynamic and hydrodynamic theories
Modeling of optical pumping experiments in CO: II. Steady conditions, P.I. Porshnev, H. Wallaart, M.-Y. Perrin and J.-P. Martin 222 (1997) 289

Experiment

Magnetic resonances
Vibrational distribution in CN($X\,^2\Sigma^+$) from the $N + C_2 \rightarrow CN + C$ reaction, N. Daugey, A. Bergeat, A. Schuck, P. Caubet and G. Dorthe 222 (1997) 87

-Molecular spectroscopy
Investigation of anhydrous benz (f) ninhydrin, indanetrione and 5-methoxy indanetrione by electronic absorption and emission spectroscopy and computational chemistry methods, J. Roy, S. Bhattacharya, S. Ghosh, D. Majumder and S.P. Bhattacharyya 222 (1997) 161
Vibrational study by inelastic neutron scattering, infrared absorption and Raman scattering of potassium, rubidium and cesium dihydrogenarsenate crystals: Comparison with thallium dihydrogenarsenate, N. Le Calvé, B. Pasquier and Z. Ouafik 222 (1997) 299

-infrared
Modeling of optical pumping experiments in CO: II. Steady conditions, P.I. Porshnev, H. Wallaart, M.-Y. Perrin and J.-P. Martin 222 (1997) 289

-Raman
Frequency resolved interferometric coherent Raman spectroscopy with incoherent light: Raman frequency shifts, dephasing rate constants, and nonresonant hyperpolarizabilities of mixtures of benzene in hexane, M.J. Stimson, D.J. Ulness and A.C. Albrecht 222 (1997) 17
The influence of rotational relaxation on the unresolved *Q*-branch density-shift induced by vibrational dephasing, M.L. Strekalov 222 (1997) 223

-UV
Radiative lifetimes, fluorescence quantum yields and photodissociation of the C_2N_2 ($A\,^1\Sigma_u^-$) and ($B\,^1\Delta_u$) states: evidence for sterically hindered, triplet mediated crossings to the ($X\,^1\Sigma_g^+$) ground state, J.B. Halpern and Y. Huang 222 (1997) 71
Photoprocesses in spiropyrans and their merocyanine isomers: Effects of temperature and viscosity, H. Görner 222 (1997) 315

-visible
Photoprocesses in spiropyrans and their merocyanine isomers: Effects of temperature and viscosity, H. Görner 222 (1997) 315

Photoelectron and Auger spectroscopy
Can substituted benzenes be used as building blocks in core electron shake-up spectra?, L. Yang and H. Ågren 222 (1997) 139
The photoelectron spectrum of iodine cyanide, ICN, J.H.D. Eland, P. Baltzer, L. Karlsson and B. Wannberg 222 (1997) 229

X-ray spectroscopy
Substituted benzenes as building blocks in near-edge X-ray absorption spectra, O. Plashkevych, L. Yang, O. Vahtras, H. Ågren and L.G.M. Pettersson 222 (1997) 125

Electron impact spectroscopy
Generalized oscillator strengths for the vibronic excitation levels of the b $^1\Pi_u$ electronic state of N_2, Z. Felfli, Z. Chen, D. Bessis and A.Z. Msezane 222 (1997) 117

Laser induced fluorescence
Radiative lifetimes, fluorescence quantum yields and photodissociation of the C_2N_2 ($A\,^1\Sigma_u^-$) and ($B\,^1\Delta_u$) states: evidence for sterically hindered, triplet mediated crossings to the ($X\,^1\Sigma_g^+$) ground state, J.B. Halpern and Y. Huang 222 (1997) 71

Nonlinear optics and spectroscopy
Frequency resolved interferometric coherent Raman spectroscopy with incoherent light: Raman frequency shifts, dephasing rate constants, and nonresonant hyperpolarizabilities of mixtures of benzene in hexane, M.J. Stimson, D.J. Ulness and A.C. Albrecht 222 (1997) 17

Mass spectroscopy
Electron impact dissociative ionization and the subsequent ion–molecule reactions in a methane beam, C. Tian and C.R. Vidal 222 (1997) 105

Neutron scattering (inelastic and quasielastic)
Vibrational study by inelastic neutron scattering, infrared absorption and Raman scattering of potassium, rubidium and cesium dihydrogenarsenate crystals: Comparison with thallium dihydrogenarsenate, N. Le Calvé, B. Pasquier and Z. Ouafik 222 (1997) 299

Objects

Bulk systems

Gases
The effect of heat conduction on the rate of chemical reaction in dilute gases, J. Fort and A.S. Cukrowski 222 (1997) 59
Vibrational distribution in CN($X\,^2\Sigma^+$) from the $N + C_2 \rightarrow CN + C$ reaction, N. Daugey, A. Bergeat, A. Schuck, P. Caubet and G. Dorthe 222 (1997) 87
Substituted benzenes as building blocks in near-edge X-ray absorption spectra, O. Plashkevych, L. Yang, O. Vahtras, H. Ågren and L.G.M. Pettersson 222 (1997) 125
Temperature dependence of the charge–linear dipole capture rate constant, B. Pezler, J. Niedzielski, A. Ratkiewicz and J. Turulski 222 (1997) 215
The influence of rotational relaxation on the unresolved *Q*-branch density-shift induced by vibrational dephasing, M.L. Strekalov 222 (1997) 223
The photoelectron spectrum of iodine cyanide, ICN, J.H.D. Eland, P. Baltzer, L. Karlsson and B. Wannberg 222 (1997) 229
Modeling of optical pumping experiments in CO: II. Steady conditions, P.I. Porshnev, H. Wallaart, M.-Y. Perrin and J.-P. Martin 222 (1997) 289

Liquids neat
On the electronic structure of liquid water: Facts and reflections, A. Bernas, C. Ferradini and J.-P. Jay-Gerin 222 (1997) 151
Quantum twinkling: statistics, coherence and the high order moments of probability amplitudes for systems coupled to quantum baths, S. Okazaki, J. Wang, S.A. Schofield and P.G. Wolynes 222 (1997) 175

Liquid mixtures and solutions
Free energies of solvation in aqueous and organic solutions for solutes with amide, keto and ester functional groups, C. Alemán and J. Puiggalí 222 (1997) 9
Frequency resolved interferometric coherent Raman spectroscopy with incoherent light: Raman frequency shifts, dephasing rate constants, and nonresonant hyperpolarizabilities of mixtures of benzene in hexane, M.J. Stimson, D.J. Ulness and A.C. Albrecht 222 (1997) 17
Molecular dynamics simulations of Na^+ and Cl^- ions solvation in aqueous mixtures of formamide, Y.P. Puhovski and B.M. Rode 222 (1997) 43
Investigation of anhydrous benz (f) ninhydrin, indanetrione and 5-methoxy indanetrione by electronic absorption and emission spectroscopy and computational chemistry methods, J. Roy, S. Bhattacharya, S. Ghosh, D. Majumder and S.P. Bhattacharyya 222 (1997) 161
Photoprocesses in spiropyrans and their merocyanine isomers: Effects of temperature and viscosity, H. Görner 222 (1997) 315

Crystals
Novel supramolecular architecture of high-spin aggregates? The comparison of ferromagnetic coupling through space and through hydrogen bond, J. Zhang and M. Baumgarten 222 (1997) 1
Vibrational study by inelastic neutron scattering, infrared absorption and Raman scattering of potassium, rubidium and cesium dihydrogenarsenate crystals: Comparison with thallium dihydrogenarsenate, N. Le Calvé, B. Pasquier and Z. Ouafik 222 (1997) 299

Glasses
Hole trapping in molecularly doped polymers, U. Wolf, H. Bässler, P.M. Borsenberger and W.T. Gruenbaum 222 (1997) 259
Photoprocesses in spiropyrans and their merocyanine isomers: Effects of temperature and viscosity, H. Görner 222 (1997) 315

Polymers
Hole trapping in molecularly doped polymers, U. Wolf, H. Bässler, P.M. Borsenberger and W.T. Gruenbaum 222 (1997) 259

Biological systems
Phonon-progressional *V–I* characteristics of STM processes mediated by redox molecular adsorbates, H. Sumi 222 (1997) 269
Phonon-progressional *V–I* characteristics of STM processes mediated by redox molecular adsorbates, H. Sumi 222 (1997) 269

Microscopic and mesoscopic systems

Single atoms, molecules and assemblies (incl. biological)
Generalized oscillator strengths for the vibronic excitation levels of the b $^1\Pi_u$ electronic state of N_2, Z. Felfli, Z. Chen, D. Bessis and A.Z. Msezane 222 (1997) 117

TDLDA calculations of photoionization cross-section and asymmetry parameter profiles of alkaline-earth atoms, M. Stener, G. De Alti, G. Fronzoni and P. Decleva 222 (1997) 197
Temperature dependence of the charge–linear dipole capture rate constant, B. Pezler, J. Niedzielski, A. Ratkiewicz and J. Turulski 222 (1997) 215

Molecules (neutral and ionic)
Generalized oscillator strengths for the vibronic excitation levels of the b $^1\Pi_u$ electronic state of N_2, Z. Felfli, Z. Chen, D. Bessis and A.Z. Msezane 222 (1997) 117
Monte Carlo simulations of copper chloride solutions at various concentrations including full 3-body correction terms, N.R. Texler and B.M. Rode 222 (1997) 281
Photoprocesses in spiropyrans and their merocyanine isomers: Effects of temperature and viscosity, H. Görner 222 (1997) 315

-diatomic
The influence of rotational relaxation on the unresolved *Q*-branch density-shift induced by vibrational dephasing, M.L. Strekalov 222 (1997) 223

-small polyatomics
Electron impact dissociative ionization and the subsequent ion–molecule reactions in a methane beam, C. Tian and C.R. Vidal 222 (1997) 105
On the electronic structure of liquid water: Facts and reflections, A. Bernas, C. Ferradini and J.-P. Jay-Gerin 222 (1997) 151
The photoelectron spectrum of iodine cyanide, ICN, J.H.D. Eland, P. Baltzer, L. Karlsson and B. Wannberg 222 (1997) 229

-aromatics
Substituted benzenes as building blocks in near-edge X-ray absorption spectra, O. Plashkevych, L. Yang, O. Vahtras, H. Ågren and L.G.M. Pettersson 222 (1997) 125

-other large
Free energies of solvation in aqueous and organic solutions for solutes with amide, keto and ester functional groups, C. Alemán and J. Puiggalí 222 (1997) 9

Molecular aggregates
Can substituted benzenes be used as building blocks in core electron shake-up spectra?, L. Yang and H. Ågren 222 (1997) 139

-dimers
Novel supramolecular architecture of high-spin aggregates? The comparison of ferromagnetic coupling through space and through hydrogen bond, J. Zhang and M. Baumgarten 222 (1997) 1

-complexes
Monte Carlo simulations of copper chloride solutions at various concentrations including full 3-body correction terms, N.R. Texler and B.M. Rode 222 (1997) 281

Free radicals (incl. hydronium and muonium)
Vibrational distribution in $CN(X\,^2\Sigma^+)$ from the $N + C_2 \rightarrow CN + C$ reaction, N. Daugey, A. Bergeat, A. Schuck, P. Caubet and G. Dorthe 222 (1997) 87

Ions and charge carriers
Temperature dependence of the charge–linear dipole capture rate constant, B. Pezler, J. Niedzielski, A. Ratkiewicz and J. Turulski 222 (1997) 215

Supramolecular assemblies (incl. nanoparticles and nanostructures)
Phonon-progressional *V–I* characteristics of STM processes mediated by redox molecular adsorbates, H. Sumi 222 (1997) 269
Phonon-progressional *V–I* characteristics of STM processes mediated by redox molecular adsorbates, H. Sumi 222 (1997) 269

Phenomena

Molecular structure
Free energies of solvation in aqueous and organic solutions for solutes with amide, keto and ester functional groups, C. Alemán and J. Puiggalí 222 (1997) 9
Investigation of anhydrous benz (f) ninhydrin, indanetrione and 5-methoxy indanetrione by electronic absorption and emission spectroscopy and computational chemistry methods, J. Roy, S. Bhattacharya, S. Ghosh, D. Majumder and S.P. Bhattacharyya 222 (1997) 161
A theoretical study of C_3 molecule trapped in rare gas matrices: Influence of bent or linear configuration on the infrared spectra, A. Lakhlifi, R. Dahoo, M. Vala, J. Szczepanski and S. Ekern 222 (1997) 241

Vibrations and rotations of molecules
Frequency resolved interferometric coherent Raman spectroscopy with incoherent light: Raman frequency shifts, dephasing rate constants, and nonresonant hyperpolarizabilities of mixtures of benzene in hexane, M.J. Stimson, D.J. Ulness and A.C. Albrecht 222 (1997) 17

Electronic structure and states
Substituted benzenes as building blocks in near-edge X-ray absorption spectra, O. Plashkevych, L. Yang, O. Vahtras, H. Ågren and L.G.M. Pettersson 222 (1997) 125
On the electronic structure of liquid water: Facts and reflections, A. Bernas, C. Ferradini and J.-P. Jay-Gerin 222 (1997) 151

Structure of solids, liquids and glasses
Molecular dynamics simulations of Na^+ and Cl^- ions solvation in aqueous mixtures of formamide, Y.P. Puhovski and B.M. Rode 222 (1997) 43

Thermodynamic and transport properties
Free energies of solvation in aqueous and organic solutions for solutes with amide, keto and ester functional groups, C. Alemán and J. Puiggalí 222 (1997) 9

Electric and magnetic properties
Hole trapping in molecularly doped polymers, U. Wolf, H. Bässler, P.M. Borsenberger and W.T. Gruenbaum 222 (1997) 259

Spin splittings
Novel supramolecular architecture of high-spin aggregates? The comparison of ferromagnetic coupling through space and through hydrogen bond, J. Zhang and M. Baumgarten 222 (1997) 1

Molecular interactions

Quasiclassical trajectory study of the effect of rotation on reactivity for the reactions $D + H_2$, $H + HD$ and $H + D_2$ on the LSTH and DMBE potential energy surfaces, S. Hochman-Kowal and A. Persky 222 (1997) 29

Generalized oscillator strengths for the vibronic excitation levels of the $b\ ^1\Pi_u$ electronic state of N_2, Z. Felfli, Z. Chen, D. Bessis and A.Z. Msezane 222 (1997) 117

A theoretical study of C_3 molecule trapped in rare gas matrices: Influence of bent or linear configuration on the infrared spectra, A. Lakhlifi, R. Dahoo, M. Vala, J. Szczepanski and S. Ekern 222 (1997) 241

Vibrational study by inelastic neutron scattering, infrared absorption and Raman scattering of potassium, rubidium and cesium dihydrogenarsenate crystals: Comparison with thallium dihydrogenarsenate, N. Le Calvé, B. Pasquier and Z. Ouafik 222 (1997) 299

Spectral bandshapes and intensities

The influence of rotational relaxation on the unresolved *Q*-branch density-shift induced by vibrational dephasing, M.L. Strekalov 222 (1997) 223

The photoelectron spectrum of iodine cyanide, ICN, J.H.D. Eland, P. Baltzer, L. Karlsson and B. Wannberg 222 (1997) 229

Energy transfer processes

Quantum twinkling: statistics, coherence and the high order moments of probability amplitudes for systems coupled to quantum baths, S. Okazaki, J. Wang, S.A. Schofield and P.G. Wolynes 222 (1997) 175

Modeling of optical pumping experiments in CO: II. Steady conditions, P.I. Porshnev, H. Wallaart, M.-Y. Perrin and J.-P. Martin 222 (1997) 289

Molecular photophysical processes

Radiative lifetimes, fluorescence quantum yields and photodissociation of the C_2N_2 ($A\ ^1\Sigma_u^-$) and ($B\ ^1\Delta_u$) states: evidence for sterically hindered, triplet mediated crossings to the ($X\ ^1\Sigma_g^+$) ground state, J.B. Halpern and Y. Huang 222 (1997) 71

On the electronic structure of liquid water: Facts and reflections, A. Bernas, C. Ferradini and J.-P. Jay-Gerin 222 (1997) 151

Investigation of anhydrous benz (f) ninhydrin, indanetrione and 5-methoxy indanetrione by electronic absorption and emission spectroscopy and computational chemistry methods, J. Roy, S. Bhattacharya, S. Ghosh, D. Majumder and S.P. Bhattacharyya 222 (1997) 161

Photoprocesses in spiropyrans and their merocyanine isomers: Effects of temperature and viscosity, H. Görner 222 (1997) 315

Photochemistry

Photoprocesses in spiropyrans and their merocyanine isomers: Effects of temperature and viscosity, H. Görner 222 (1997) 315

Intramolecular dynamics

-radiationless transitions

Radiative lifetimes, fluorescence quantum yields and photodissociation of the C_2N_2 ($A\ ^1\Sigma_u^-$) and ($B\ ^1\Delta_u$) states: evidence for sterically hindered, triplet mediated crossings to the ($X\ ^1\Sigma_g^+$) ground state, J.B. Halpern and Y. Huang 222 (1997) 71

-vibrational energy redistribution (incl. vibrational dissociation)
Vibrational distribution in $CN(X\,^2\Sigma^+)$ from the $N + C_2 \rightarrow CN + C$ reaction, N. Daugey, A. Bergeat, A. Schuck, P. Caubet and G. Dorthe 222 (1997) 87
Modeling of optical pumping experiments in CO: II. Steady conditions, P.I. Porshnev, H. Wallaart, M.-Y. Perrin and J.-P. Martin 222 (1997) 289

-protein motion
Phonon-progressional *V–I* characteristics of STM processes mediated by redox molecular adsorbates, H. Sumi 222 (1997) 269
Phonon-progressional *V–I* characteristics of STM processes mediated by redox molecular adsorbates, H. Sumi 222 (1997) 269

Coherence loss processes
Quantum twinkling: statistics, coherence and the high order moments of probability amplitudes for systems coupled to quantum baths, S. Okazaki, J. Wang, S.A. Schofield and P.G. Wolynes 222 (1997) 175

Reactions (incl. dissociation)
The effect of heat conduction on the rate of chemical reaction in dilute gases, J. Fort and A.S. Cukrowski 222 (1997) 59
Vibrational distribution in $CN(X\,^2\Sigma^+)$ from the $N + C_2 \rightarrow CN + C$ reaction, N. Daugey, A. Bergeat, A. Schuck, P. Caubet and G. Dorthe 222 (1997) 87

-collisional
Temperature dependence of the charge–linear dipole capture rate constant, B. Pezler, J. Niedzielski, A. Ratkiewicz and J. Turulski 222 (1997) 215

Proton and hydrogen atom transfer
Quasiclassical trajectory study of the effect of rotation on reactivity for the reactions $D + H_2$, $H + HD$ and $H + D_2$ on the LSTH and DMBE potential energy surfaces, S. Hochman-Kowal and A. Persky 222 (1997) 29

Ionization (incl. Rydberg states)
Electron impact dissociative ionization and the subsequent ion–molecule reactions in a methane beam, C. Tian and C.R. Vidal 222 (1997) 105
Can substituted benzenes be used as building blocks in core electron shake-up spectra?, L. Yang and H. Ågren 222 (1997) 139
TDLDA calculations of photoionization cross-section and asymmetry parameter profiles of alkaline-earth atoms, M. Stener, G. De Alti, G. Fronzoni and P. Decleva 222 (1997) 197

Molecular motion (incl. diffusive)
Molecular dynamics simulations of Na^+ and Cl^- ions solvation in aqueous mixtures of formamide, Y.P. Puhovski and B.M. Rode 222 (1997) 43
A theoretical study of C_3 molecule trapped in rare gas matrices: Influence of bent or linear configuration on the infrared spectra, A. Lakhlifi, R. Dahoo, M. Vala, J. Szczepanski and S. Ekern 222 (1997) 241

Isotopic effects
Quasiclassical trajectory study of the effect of rotation on reactivity for the reactions $D + H_2$, $H + HD$ and $H + D_2$ on the LSTH and DMBE potential energy surfaces, S. Hochman-Kowal and A. Persky 222 (1997) 29

-adsorbate structure
Phonon-progressional *V–I* characteristics of STM processes mediated by redox molecular adsorbates, H. Sumi 222 (1997) 269

Electronic process in gases
Substituted benzenes as building blocks in near-edge X-ray absorption spectra, O. Plashkevych, L. Yang, O. Vahtras, H. Ågren and L.G.M. Pettersson 222 (1997) 125

Thermodynamic and transport properties
On the electronic structure of liquid water: Facts and reflections, A. Bernas, C. Ferradini and J.-P. Jay-Gerin 222 (1997) 151

Critical behavior and phase transitions
Vibrational study by inelastic neutron scattering, infrared absorption and Raman scattering of potassium, rubidium and cesium dihydrogenarsenate crystals: Comparison with thallium dihydrogenarsenate, N. Le Calvé, B. Pasquier and Z. Ouafik 222 (1997) 299